
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





LIBRARY

★ MAR 23 1950

U. S. Department of Agriculture



PRICE LIST



HENRY VAN DEN HOORN, PRESIDENT Phone . Garden City 7-1100

APOLOGIES FOR LIBERTIES
PRINTER TOOK WITH COLORS

SPRING - 1950

We take pleasure in offering the following items which have all been grown under our modern, improved methods to assure you the best returns on all material purchased from us.

DOMESTIC Lining Out Stock

KEY

В	Soil Ball	F	Flatted
B&B	Ball & Burlap	C	Rooted Cuttings
BR	Bare Root	S	Seedlings
P	Potted	G	Grafts
T Ti	imes transplanted	0.R.	Own Root


PRICES - quoted per 100: 10% off on 1000 lots, 25 at 100 rate, 250 at 1000 rate - 20% added for less than 25 of a kind. Not less than 10 of a variety sold.

ACER - Japanese Maple			100 rate each
pal. atropurpureum		2 ½ " P	\$0.50
-nigrum		2½"P	. 55
*-dissectum (green)		2 1 P	.50
*atropurpureum (red	1	2 1 P	
atropurpureum (red	,	2 2 P	.75
ABELIA			
grandiflora	4-6"	2 ½ " P	.18
n	9-12"	4"P	. 50
H .	12-18"	6"P	1.00
AMYGDALIS			
rosea	4-6"	2½"P	.20
п	9-12"	тв	.40
ANDROMEDA (Pieris)			
japonica	2-3"	TB	.10
n	4-6"	TB	.18
W	6-9"	TTB	.30
- T	9-12"	TTB	.75
W	12-15"	B&B	1.50
n	15-18"	B&B	2.00
japonica compacta		TB	.20
*floribunda		TB	.10
71	4-6"	ТВ	.20
			0

(*) Sold out, booking for next season



Henry Van den Hoorn and Chemurgist Paul Vossburg broadcasting on nursery propagation and practices for Tom Page (mike in hand), director of the National Farm Program over Station W.N.B.C., New York.




AZALEA


			100 rate
			each
amoena	4-6"	TF	\$0.18
*	4-6"	2½"P	. 20
apple blossom	4-6"	TF	. 18
H	4-6"	2½"P	.20
coral bells	4-6"	TF	.18
n	4-6"	2 ½ " P	. 20
fedoraH	4-6"	TF	. 18
n	4-6"	2½"P	. 20
ghentH	8-24"	B&B	3.00
named varieties hvy		7.5	1.0
hinodigiri	4-6"	TF	.18
n	4-6"	2½"P	.20
п	6-9"	TTB	. 50
	9-12"	TTTB	1.00
hinocrimsonH	4-6"	TF	.20
	4-6"	2½"P	. 25
hinomayoH	4-6"	TF	.18
bearston! U	4-6"	2 ½ " P	.20
kaempferi	4-6"	TF 2½"P	.18
hybrids	4-6"	TF	. 20
ledifolia		2 ½ " P	.18
magnifica	4-6"	TF	.18
ledifolia alba	4-6"	2 ½ " P	. 20
н	6-9"	TTB	.45
magrantha (nink)	4-6"	TF	.18
macrantha (pink)	4-6"	2 ½ " P	.20
m -	6-9"	TTB	. 45
macrantha brilliant	4-6"	TF	. 25
malvatica hybrid	4-6"	TF	.18
maivacioa ny bi i dii ini ii	4-6"	2 ½ " P	.20
n	6-9"	TTB	. 45
maxwelli	4-6"	TF	.18
п	4-6"	2 ½ " P	.20
mollis		B&B	3.00
named varieties hvy			
mucronulatumH	4-6"	TF	.20
п	4-6"	2 ½ " P	. 25
pink pearl	4-6"	TF	.18
n	4-6 m	2 ½ " P	. 20
salmon beauty	4-6"	TF	.18
п	4-6"	2 ½" P	.20
*schlippenbachiH	4-6"	TF	. 25
snow	4-6"	TF	.18
n	4-6"	2 ½ " P	.20
n	6-9"	TTB	. 45
yodogawa	4-6"	TF	.18
п	4-6"	2 ½ " P	. 20

^(*) Sold out, booking for next season.(H) Varieties have an established record for hardiness.

			00 rate
BERBERIS			each
julianae	3-5"	2 ½ " P	\$0.25
BUDDLEIA	0 0 1	0110	
alternifolia	6-8"	2 ½ " P	. 20
CHAMAECYPARIS (Retinos			
obtusa nana	4-6"	2 ½ " P	.30
obtusa nana compacta.	4-6"	2 ½ " P	.40
obtusa crippsi	4-6"	2 ½ " P	.30
obtusa gracilis	4-6"	2 ½ " P	.30
n	6-9"	TB	.60
pisifera	6-8"	CBR	.08
" bedded	8-10"	lyr	.15
M	6-8"	2 ½ " P	.18
Ħ	8-10"	TTB	.35
π	9-12"	TTB	.50
pisifera aurea	6-8"	CBR	.10
pisitera aurea	8-10"		.15
	6-8"	1 yr 2 ½ " P	.20
		-	
	8-10"	TB	. 35
	9-12"	TTB	.50
pisifera filifera	6-8"	CBR	.10
n	6-8"	2 ½ " P	.20
	8-10"	TB	.35
pisifera filifera		000	15
" aurea	6-8"	CBR	.15
	6-8"	2½"P	. 25
plumosa	6-8"	CBR	. 08
" bedded	8-10"	lyr	. 15
n	6-8"	2½"P	.18
n	8-10"	TTB	.35
	9-12"	TTB	.50
plumosa aurea	6-8"	CBR	.10
" bedded	8-10"	lyr	.15
7	6-8"	2 ½ " P	. 20
17	8-10"	TTB	. 35
	9-12"	TTB	.50
plumosa lutescens	3 - 5 "	CBR	. 15
n	3-5"	2 ½ " P	. 22
п	4-6"	TB	. 35
squarrosa veitchi	6-8"	CBR	.10
bedded	8-10"	lyr	. 15
n	6-8"	2 ½ " P	. 20
	8-10"	TTB	.35
m 17	9-12"	TTB	.50
"	12-15"	TTB	.75
CYTISUS			
scoparius	6-8"	2 ½ " P	. 25
andreanus	6-8"	2 ½ " P	. 25



BIRDS EYE VIEW of nursery, greenhouses and frames.



DOGWOOD


CORNUS (Dogwood)	each
	$6-8"$ $2\frac{1}{2}"P$ \$0.45
*florida magnifica	$6-8"$ $2\frac{1}{2}"P$.50
*florida pendula	$6-8"$ $2\frac{1}{2}"P$.45
*florida plena	$6-8$ " $2\frac{1}{2}$ " P . 45
florida rubra	$6-8^n$ $2\frac{1}{2}^n P$.40
florida rubra 8	$3-10^{\circ}$ $2\frac{1}{2}^{\circ}P$.45
*florida variegata	$6-8"$ $2\frac{1}{2}"P$.50
kousa chinensis	$6-8"$ $2\frac{1}{2}"P$.40
*mas	$6-8^{n}$ $2\frac{1}{2}^{n}P$.40
(*) sold out, booking	g for next season.
COTONEASTER	
apiculata	$3-5"$ $2\frac{1}{2}"P$.25
n	6-9" 4"P .50
horizontalis	$3-5^{n}$ $2\frac{1}{2}^{n}P$.25
	6-9" 4"P .50
ENKIANTHUS	
canpanulatus	$4-6^{n}$ $2\frac{1}{2}^{n}P$.25
EUONYMUS	
carrieri	$4-6^{"}$ $2\frac{1}{2}^{"}P$.20
vegetus	$4-6$ " $2\frac{1}{2}$ " P .20
japonica	$4-6^n$ $2\frac{1}{2}^n P$.20
GORDONIA	
alatamaha	4-6" 2½"P .25
alatamana	4-0 22 F .25
HEDERA	
helix, 3 leads (English	$1 \text{ (vy)} 2\frac{1}{2}\text{"P} .15$
baltica, 3 leads (Balti	
barrica, o reads (barri	10 17) / 22 1
JUNIPERUS	
communis andorra	4-6" CBR .10
П	$4-6$ " $2\frac{1}{2}$ " P . 20
pfitzeriana	4-6" CBR .12
п	$4-6"$ $2\frac{1}{2}"P$.22
communis depressa	4-6" CBR .10
Ħ	$4-6^{n}$ $2\frac{1}{2}^{n}P$.20
excelsa stricta	4-6" CBR .10
п	$4-6"$ $2\frac{1}{2}"P$.20
horizontalis	4-6" CBR .10
Ħ	$4-6$ " $2\frac{1}{2}$ " P 20
horizontalis glauca	4-6" CBR .10
•	$4-6^n$ $2\frac{1}{2}^n P$. 20
parsoni	4-6" CBR .12
	$4-6$ " $2\frac{1}{2}$ " P . 20
litoralis	4-6" CBR .10
n .	$4-6^{n}$ $2\frac{1}{2}^{n}P$.20
squamata meyeri	4-6" CBR .15
н	4-6" 2½"P .25

lestbury Rose	Co.	Inc.	195
Nestburg, L.t. A	74.		100 rate
LAUROCERASUS schipkaensiszabeliana	4-6" 4-6"	2 ½ " P 2 ½ " P	\$0.25
LEUCOTHOE axillaris & catesbaei	3-5"	2 ½ " P	.20
LONICERA nitida & pileata	4-6"	2 ½ " P	. 25



HOLLY


ILEX		each.
	3-5" 2½"P	\$0.25
	3-5" 2½"P	. 25
	3-5" CBR	. 08
m 3	$3-5"$ $2\frac{1}{2}"P$. 20
m 4	1-6" TB	. 25
и 6	6-9" TB	. 35
m 9-	-12" TTB	. 50
crenata helleri 3	3-4" CBR	.15
и 3	$3-4"$ $2\frac{1}{2}"P$. 25
	3-5" CBR	.10
m 3	$3-5"$ $2\frac{1}{2}"P$. 20
	1-6" TB	.30
	5-9" TB	.40
	3-5" CBR	.10
	$3-5"$ $2\frac{1}{2}"P$.20
	1-6" TF	. 25
N E	6-9" TB	.35
crenata bullata 3	3-5" TF	.15
w 3	$3-5"$ $2\frac{1}{2}"P$.20
	1-6" TTF	. 25
" 6	6-9" TB	. 40
9-	-12" TTB	.75
" 12-	-15" TTTB	1.25
	3-5" CBR	.10
	$3-5^{n}$ $2\frac{1}{2}^{n}P$. 20
	4-6" TB	. 25
The state of the s	6-9" TB	.30
	3-5" 2½"P	. 25
	3-5" CBR	. 0.8
	$3-5"$ $2\frac{1}{2}"P$. 20
	6-9" TB	. 25
	-12" TTB	.50
	-15" B&B	1.00
	3-5" 2½"P	. 25
	4-6" 2½"P	.35
	$3-5$ " $2\frac{1}{2}$ " P	. 25
opaca brilliantissima 3	3-5" 2½"P	.30
	-12" 4"P	.60
" 12-	-15" 6"P	1.00
opaca mascula 3	3-5" 2½"P	.25
	$3-5"$ $2\frac{1}{2}"P$.30
(*) Sold out, booking	for next se	ason.



MAGNOLIA

```
100 rate
MAGNOLIA
                                            each
                                    2 ½ TP
 alba superba.....
                          8-12"
                                             $0.60
                                    2 ½ " P
 alexandrina......
                          8-12"
                                                . 60
                                    2 ½ " P
                                                .75
 conspicua......
                          8-12"
                                    2 ½ " P
2 ½ " P
2 ½ " P
 cordata..........
                          8-12"
                                                .75
 lennei.......
                          8-12"
                                                .75
 liliflora......
                          8-12"
                                                .35
                          8-12"
                                    2 ½ " P
 parviflora......
                                                .60
                                    2 1 7 P
                                                . 60
 rustica rubra.....
                          8-12"
                                    2 ½ " P
                          8-12"
 soulangeana......
                                                . 45
                              Dormant Stock
                                                .50
                                    B.R.
                           6-9"
                                                .60
                          9-12"
                                    B.R.
                                                .70
                         12-15"
                                    B.R.
                                                . 90
                         15-18"
                                    B.R.
 soulangeana nigra...
                          8-12"
                                    2 1 P
                                                .50
                              Dormant Stock
                                    B.R.
                                                .60
                           6-9"
                          9-12"
                                                .80
                                    B.R.
                         12-15"
                                               1.00
                                    B.R.
                                    2 1 P
                                                .75
                          8-12"
 speciosa magnifica...
                                    2 1 P
                           6-8"
                                                .50
 stellata, white star.
                                    2 = P
                                                .50
 stellata rosea.....
                           6-8"
                                    2 ½ " P
                           6 - 8 ^{\rm n}
                                                .50
stellata waterlily...
                                    2 ½ " P
                           6-8"
                                               1.00
watsoni......
                                    2 1 P
                           6-8"
                                               1.00
wilsoni.........
```

(*) Sold out, booking for next season



MAGNOLIAS by the thousands standing shoulder to shoulder ready to be shipped.

LIST OF RHODODENDRONS WITH THEIR DESCRIPTIONS

We offer the following true to name hardy hybrid Rhododendrons in strong rooted stem cuttings.

This stock includes many old favorites in a great assortment of colors.

Cuttings taken from selected healthy blooming stock plants.

This material is not to be compared to questionable influx of stock of doubtful name and hardiness.

We have 56 varieties of Rhododendron on the premises and access to a total of 103 varieties.

Stem cuttings with their fresh vigorous supply of roots, make a very strong growth the first season when planted out in spring.

Ready to ship May 1st with a nice peat ball to assure continued healthy growth. No graft weaknesses or suckering to contend with. Upon request, cultural instructions furnished with order.

THE FOLLOWING RHODODENDRONS ARE \$60 PER HUNDRED:

ALBUM ELEGANS
CARACTACUS
CHAS. THOROLD
F.D. GODMAN
IGNATIUS SARGENT
LEE'S DARK PURPLE
OLD PORT
PARSON'S GLORIOSUM
PARSON'S GRANDIFLORUM
PRESIDENT LINCOLN
PURPUREUM ELEGANS
ROSEUM SUPERBUM

White - Tall
Crimson Red - Good for landscape
Violet Red - Green blotch
Red - Crimson blotch - Vigorous
Red - Light Center - Nice flower
Purple - Interesting foliage
Plum - Very good landscape plant
Lilac - Large truss - Vigorous
Soft Red - Free blooming, hardy
Lavender - Strong grower
Light Purple - Good foliage
Mauve Pink - Best landscape plant
Soft Pink - Late bloomer

BELOW: RHODODENDRON HOUSE - 25,000 rooted Rhododendron hybrid stem cuttings flatted in processed medium. To be shipped after first growth.



LIST OF RHODODENDRONS WITH THEIR DESCRIPTIONS

(continued)



THE FOLLOWING RHODODENDRONS ARE \$80 PER HUNDRED:

ALBUM GRANDIFLORA ATROSANGUINEUM BOULE DE NEIGE BERTHA PARSONS CATAWBIENSE ALBUM CHAS. BAGLEY

CHAS. DICKENS DR. DRESSELHUYS

DR. RUTGERS

ED. S. RAND

EVERESTIANUM

FASTUOSUM FL. PL.

GOMER WATERER

KETTLEDRUM LADY A. DE TRAFFORD

MRS. P. DEN OUDEN

White - Medium grower Red - Very hardy White - Dwarf - Dense grower Pale lilac - Vigorous White - Very reliable - good habit Soft Red - Large flowers - vigorous

Red - Intermediate in growth Aniline Red - Pale throat - tall growth

Aniline Red - Crimson throat -Compact

Red - Old favorite - Good foliage and habit

Lavender - Hardiest and best in this class

Lavender - Bud tender north of Philadelphia

White - Large flower - Bud tender north of Philadelphia

Red - Spreading habit Blush Pink - Chocolate brown blotch





Showing Henry Van den Hoorn comparing the results of our "chemurgic processes".

Featured (left to right): (1) Understock seed-ling - (2) 3-year old understock shortly after grafting, note suckering - (3) Large plant is Own Root stem cutting 6 months old. Chemical treatment and controlled heat contributing factors.

RHODODENDRONS

SMALL LEAVED VARIETIES 100 rate each Rhododendron Carolina -Selected strain $6 - 9^{\pi}$ \$0.25 Rhododendron Ferrugineum -Rose Pink Trusses - Dwarf 4-6" .40 Rhododendron Wilsoni -Glossy foliage - Blush flowers .40 TRANSPLANTED SEEDLINGS Atrosanguinea, Lady Armstrong & Chas. Dickens Seedlings14 Dexter & Fortunae hybrid seedlings ..14 hardiest varieties..... .25 Red Hybrids (hand pollenated) NAMED HYBRIDS IN LARGER SIZES Following colors only -Pink, Red, Purple, White & Lavender

18-21"

21-24"

24-30"

4.00

5.00

7.00



Our plants will develop better, with our special chemurgic processing.
"WATCH YOUR DOLLARS GROW."

DACHVOANDDA		1 (00 rate each
	M - Flats M - TF 2 M - 2½ P		\$0.06 .08 .10
POLYGONUM auberti	4-6 п	2 ½ " P	. 20
PYRACANTHA coccinea lalandi	4-6"	2 ½ 7 P	. 25
PIERIS - See Andromeda			
RETINOSPORA - See Chamae	ecyparis		
SARCOCOCCA humilis	3 – 4 "	2 ½ * P	. 25
STEWARTIA *pseudocamelia	4 - 6 **	2 ½ " P	. 40



Mr. Paul D. Vossburg preparing special solutions to stimulate root action.

TAXUS			
• • • •	ew)	1	00 rate
TAXUS			each
baccata repandens	3-5"	CBR	\$0-12
" bedded	5-6"	lyr	. 15
n .	3-5"	2½"P	.20
n n	6-9"	TTB	. 35
	9-12"	TTTB	.60
canadensis stricta	$3-5^{n}$ $3-5^{n}$	CBR 2½"P	.10
	4-6"	CBR	.07
cuspidata	6-8"	CBR	.08
" bedded	8-10"	lyr	.15
и	6-8"	2 ½ " P	.18
Ħ	6-9"	TTB	. 25
п	9-12"	TTB	.35
-capitata	4-6"	CBR	.10
n	6-8"	CBR	. 15
P1	6-8"	2½"P	. 25
n	6-9"	TTB	.40
	9-12"	TTB CBR	.10
-nana (brevitolia) bedded	$6-8^{\pi}$	l yr	. 15
п	3-5"	2 ½ " P	. 20
hatfieldi	4-6"	CBR	.10
π	4-6"	2 ½ " P	.20
intermedia	4-6"	CBR	. 09
n	6-8"	CBR	.10
bedded	6-8	lyr	. 15
n	6-8"	2 ½ " P	. 20
intermedia "Rosco"	4-6"	CBR	. 12
n	6-8 ⁿ	CBR	.15
media hicksi	4-6"	2 ½ " P CBR	. 25
nedia Hicksi	6-8"	CBR	. 08
n bedded	8-10"	lyr	.15
п	6-8"	2 ½ " P	. 20
n	6 - 9 ⁿ	TTB	.30
n	9-12"	TTB	. 45
π	2-15"	TTB	.75
THU	1 1 A		
	vitae)		00 rate
THUJA	V 1 Cu 0 /	•	each
occidentalis	6-8*	CBR	\$0.08
m .	6-8"	2 ½ " P	.18
Ħ	8-10"	TTB	. 25
n	9-12"	TTB	.35
-elegantissima	6 – 8 ^m	CBR	.10
" bedded	8-10"	lyr	. 15
## ## ## ## ## ## ## ## ## ## ## ## ##	6-8"	2 ½ " P	. 20
m	8-10" 9-12"	TTB TTB	.30
-globosa	6-8"	CBR	.10
n	6-8"	2½"P	.18
n	8-10"	TTB	.25
-lutea	6-8"	CBR	.10
п	6-8"	2 ½ " P	.20
-nigra	6-8 ^m	CBR	.10
" bedded	8-10"	lyr	.15
π	6-8"	2 ½ 7 P	. 22
n ny mamidalia	8-10"	TTB	. 35
-pyramidalis	6 – 8 ⁿ	CBR 2½™P	.10
-rosenthali	4-6"	CBR	.10
m	4-6"	2 ½ " P	.22
-spiralis (douglasi).	6-8"	CBR	.10
II	6-8"	2 ½ " P	. 22
-wareana	6-8"	CBR	.10
п	$6 - 8^{n}$	2 ½ " P	.20

HEMLOCK

		1	00 rate
TSUGA			each
canadensis	3-6"	TBR	\$0.05
n	6-9"	TBR	.10
π	9-12"	TBR	. 15
п	12-15"	TTBR	. 20
п	15-18"	TTBR	.25



VIBURNUM

VIBURNUM		•	
burkwoodi	4-6"	2 ½ " P	\$0.20
n	6-8"	3 " P	. 35
ff	8-12"	4 " P	. 60
carlesi	4-6"	2 ½ " P	. 25
n	6-8"	3 * P	.40
it	8-12"	4 " P -	. 75
rhytidophyllum	4-6"	2 ½ " P	.30
theiferum	4-6 "	2 ½ " P	. 20
plicatum	4-6"	2 ½ " P	. 25

TRIAL ORDERS "get acquainted offers" Wholesale only

To introduce our products to the trade we have assembled collections covering three important groups of lining out material.

Please note that all these plants are on their OWN ROOTS, no graft weaknesses to worry about.

COLLECTION "A" -BROADLEAVED EVERGREENS

- Rhododendron, O.R. 6"
- Andromeda japonica 4-6"
- Laurocerasus shipkaensis 4-6" 2
- 2
- Azalea hinodigiri TF Azalea mucronulatum TF 2
- Azalea macrantha TF

Shipped post free \$4.50

COLLECTION "B" - ILEX - HOLLY

- llex crenata 4-6" TB 2
- 2
- 2
- llex bullata 3-5" TF

 llex altaclarense 3-5" 2½"P

 llex opaca brilliantissima 3-5"-P 2
- llex aquifolia scottica-3-5" 2½"P 2
- llex glabra 3-5" $2\frac{1}{2}"P$

Shipped post free \$4.00

COLLECTION "C" - DECIDUOUS


- Pink Dogwood 8-10" $2\frac{1}{2}$ " P 2
- Gordonia alatamaha 4-6" $2\frac{1}{2}$ " P
- Magnolia soulangeana 6-8" 2½"P 2
- 2
- 2
- Magnolia waterlily 6-8" $2\frac{1}{2}"P$ Viburnum burkwoodi 4-6" $2\frac{1}{2}"P$ Viburnum plicatum 4-6" $2\frac{1}{2}"P$ 2 Shipped post free

TRANSPLANTED SEEDLINGS

(Ready September) Healthy vigorous plants, 2-4" high

AZALEA

	100 rate
	each
Ghent Hybrids	\$0.16
Kaempferi (dark strains)	.10
Kaempferi (salmon shades)	.10
Mollis (large flowering)	- 14
Mucronulatum (earliest to bloom).	. 14
Schlippenbachi (Royal Azalea)	. 16
Ponticum (yellow)	.14
LEUCOTHOE	
Catesbaei (vigorous plants)	. 08
ou coopact (trigot ous prants) tritting	3
PIERIS (Andromeda)	
Floribunda	.10
Japonica	.10
RHODODENDRON HYBR	IDS
Chas. Dickens seedlings	.14
Atrosanguinea seedlings	. 14
Lady Armstrong Seedlings	. 14
Dexter Hybrids (hardy var.)	. 14
Fortunae Hybrids (selected)	.14
Hybrids (hand pollinated)	. 25
(best reds)	
RHODODENDRON SPEC	IES
Ponticum (domestic)	.08
Carolina	.10
Racemosum	.20
may 71	4



FLATTED SEEDLINGS AS OFFERED ABOVE, 10 MOS. FROM SEED.

A - Pieris (Andromeda) japonica
B - Azalea kaempferi (selected etrain

B - Azalea kaempferi (selected strain)
 C - Rhododendron hybrid seedling
 Note: Strong root system and healthy foliage.

GRAFTED STOCK 100 rate each CHERRY - flowering in variety \$0.25 6-8" BR CRAB - flowering in variety 6-8" .25 BR JUNIPERUS - chin. columnarius 2½"P 6-8" .50 PLUM - flowering - purple foliage 6-8" BR . 25

CULTURAL AID FOR LINING OUT STOCK

ALL BARE ROOT and the following potted material should be planted in beds provided with lath or other suitable shading. Andromeda, Azalea, Gordonia, Leucothoe, Ilex, Magnolia, Berberis. Cotoneaster, etc.

FOR ACID LOVING PLANTS, soil in beds should be enriched with acid leaf mold and decomposed cow manure. Other stock will be greatly aided by aged manure. Peat Moss and screened sand, incorporated with heavy soil, will encourage good root action.

ALL POTTED PLANTS such as Chamaecyparis, Juniperus, Taxus, Thuja, etc. may be lined out in Spring and Early Summer in previously prepared fields.


WATERING is important unless planting coincides with a natural rainfall. A good watering at time of planting is advisable, if at all posible. This is to be followed by one or two waterings. During June and July, the beds should be watered but the watering should be tapered off during the latter part of August to prevent late soft growth.

CULTIVATING during summer months is advisable and will be of great help where water is not available.

FEEDING with well rotted manure, as previously stated, should be done at planting time. No stimulant should be applied the first year. If used later, apply early enough to allow growth to harden before frost.

Most of the plants will not need WINTER PROTECTION. shade during late summer, but replacing shading on the beds for winter months is advisable if at all possible.

MULCHING is advisable to prevent heaving and winter in-Oats broadcasted in September, will form a good mulch ions where oats winter kills. Oats also check annual jury. in regions where oats winter kills. grass and chickweed.



CONDITIONS TERMS AND

THIS LIST cancels all previous quotations. Prices quoted are subject to change without notice and orders are accepted subject to prior sale.

PRICES - quoted per 100: 10% off on 1000 lots, 25 at 100 rate, 250 at 1000 rate - 20% added for less than

10 of a variety sold. CERTIFICATE-By U.S.D.A. furnished.

PACKING - Free of charge for cash with orders over \$25.00 only.
SHIPPING - from Westbury to destination at cost and risk of purchaser.

PAYMENT - All or 25% cash with order; balance C.O.D. unless otherwise arranged.

GUARANTEE - We express or imply no warranty as to the life or con-dition of the stock after it leaves our control.

CLAIMS - All claims must be made in

writing within ten days of invoice date. No merchandise may be returned for credit without our written permission. No adjustmer account is past due. No adjustments made when Your order shall constitute acceptance these terms.

NOTE - We reserve the right to cancel all or part of any order in case of strike, delay in case of crop failure, or when not receiving desired variety, grade or quality or quantity from our growers, in which case order will be held over. or refund will be made. We assume no responsibility for hardiness of plants in a given locality.



vigorous straight trees On their own roots make CORNUS FLORIDA RUBRA

See Page 5

MAGNOLIA SOULANGEANA Best specialty item

ILEX CRENATA BULLATA The future hedge and

See Page 7

See Page 6

specimen plant

VIBURNUM CARLESI & BURKWOODI

In 2½" - 3" & 4" pots for assured results

See Page 13

See Pages -True to name rooted stem RHODODENDRON HYBRIDS

cuttings

8-9-10

WESTBURY, L.I., N.Y.

Sec. 34.66 PL&R

U. S. POSTAGE PAID

Permit No. 5 Westbury, L. I.

POSTMASTER: If addressee has removed. notify sender on FORM 3547, postage for which is guaranteed.